



---


INSTRUCTION BOOK FOR  
Deluxe Model B<sup>®</sup>

---

**DA-LITE<sup>®</sup>**

## Installation


The Deluxe Model B must be suspended from the ceiling or used with extension type wall brackets to allow room for the Automatic Tensionizer.



### For Wall Mounting

Special extension wall brackets such as Da-Lite's No. 6, No. 11 or No. 23 brackets must be used if screen is to be wall mounted. Check with your dealer to determine which best fits your needs.

Brackets should be fastened securely to a solid surface such as a wooden reinforcement board and not in the plaster only. Rarely will wall studs be found to support both ends of a screen. Various types of fasteners are available from local hardware stores.




### For Ceiling Suspension

If the screen is to be ceiling mounted, two screw hooks should be placed in a beam or other solid surface. For drop ceilings, Da-Lite's T-Bar Clips may be purchased.

## Setting Up Your Screen


These illustrations (all rear views for simplification) show how easy the Deluxe Model B Screen is to operate.

1. Remove plastic protective wrap from handle and tension arm.
2. To start unrolling the picture surface, pull down on cord pull knob. Then with hand resting on the handle, pull screen down.
3. The automatic tension arm moves into position in a precision-like manner.
4. When surface is down, a simple press of contour-shaped handle locks it into position... ready for the show!
5. To re-roll picture surface—press firmly downward and counter-clockwise on flat handle to release lock. Permit surface to re-roll rapidly into case. Control upward movement by lightly holding handle or cord pull knob.



PROTECT YOUR SCREEN by keeping it rolled in its case when not in use. Always examine both front and back of surface before re-rolling into case to make certain screen is free of dust, dirt or other foreign matter. Use a very soft duster to gently remove any foreign particles.

## Screen Adjustment



**NOTE:** Tensioning of the Deluxe Model B picture surface was made at the factory. Should more tension be required, the screw in the channel holding the upper tension arm assembly should be moved upward in holes allotted for this purpose. For any adjustment, it is recommended that the screen be removed, placed on a flat surface and a pair of pliers and a Phillips screwdriver be used in removing the screw and nut.


### Protect Your Screen

Before re-rolling surface into case, examine both front and back of surface to be sure they are free of foreign matter.

## Screen Accessories


### Wall Brackets

Da-Lite No. 6 and No. 11 Non-adjustable wall brackets and No. 23 adjustable extension wall brackets are ideal for keystone elimination, chalkboard clearance, or corner mounting. The screen brackets should be fastened to the studding or other solid surface and not in the plaster only. Suspend screen from "D" rings.



### No. 23 Adjustable Wall Brackets

Screen can be extended 10"-24" from wall by wing nut and bolt adjustment.



### No. 11 Wall Brackets

Screen can be extended 10" or 14" from wall by changing position of bracket.




### No. 6 Wall Brackets

Screen can be extended 6" from wall.


### T-Bar Clip

For Drop Ceilings  
50 lb. max. load capacity.



### Tilt Lock

For Keystone Elimination  
Holds back bottom of screen in tilted position to eliminate keystoneing.



## **LIMITED ONE YEAR WARRANTY ON DA-LITE PRESENTATION PRODUCTS**

Milestone AV Technologies LLC warrants certain Da-Lite branded products to the original purchaser only, to be free from defects in materials and workmanship for a period of one (1) year from the date of purchase by the original purchaser; provided they are properly operated according to Da-Lite's instructions and are not damaged due to improper handling or treatment after shipment from the factory.

This warranty does not apply to equipment showing evidence of misuse, abuse or accidental damage, or which has been tampered with or repaired by a person other than authorized Da-Lite personnel.

Da-Lite's sole obligation under this warranty shall be to repair or to replace (at Da-Lite's option) the defective part of the merchandise. Returns for service should be made to your Da-Lite dealer. If it is necessary for the dealer to return the screen or part to Da-Lite, transportation expenses to and from Da-Lite are payable by the purchaser and Da-Lite is not responsible for damage in shipment. To protect yourself against damage or loss in transit, insure the product and prepay all transportation expenses.

**TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WARRANTIES AS TO FITNESS FOR USE AND MERCHANTABILITY.** Any implied warranties of fitness for use, or merchantability, that may be mandated by statute or rule of law are limited to the one (1) year warranty period. This warranty gives you specific legal rights, and you may also have other rights, which vary from state-to-state. **TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, NO LIABILITY IS ASSUMED FOR EXPENSES OR DAMAGES RESULTING FROM INTERRUPTION IN OPERATION OF EQUIPMENT, OR FOR INCIDENTAL, DIRECT, OR CONSEQUENTIAL DAMAGES OF ANY NATURE.**

In the event that there is a defect in materials or workmanship of a Da-Lite product, you may contact our Sales Partners at PO Box 137, Warsaw, IN 46581-0137, (574) 267-8101, (800) 622-3737.

**IMPORTANT: THIS WARRANTY SHALL NOT BE VALID AND DA-LITE BRANDED PRODUCTS SHALL NOT BE BOUND BY THIS WARRANTY IF THE PRODUCT IS NOT OPERATED IN ACCORDANCE WITH THE DA-LITE WRITTEN INSTRUCTIONS.**

Keep your sales receipt to prove the date of purchase and your original ownership.



A Milestone AV Technologies Brand

3100 North Detroit Street  
Warsaw, Indiana 46582  
P: 574.267.8101 or 800.622.3737  
F: 574.267.7804 or 877.325.4832  
E: info@da-lite.com  
www.da-lite.com

DL-0259 01.14

© 2013 Milestone AV Technologies LLC. Printed in U.S.A.

48709