



## 2015 Saker Tab-Tension Series Product Brochure

The Saker Tab-Tension Series includes a tab-tension system with MaxWhite FG material to maintain flatness all across the projection surface. Standard features include a wireless 5-12 volt trigger, IR/RF remotes control package, and a detachable manual keypad switch.



Member  
**InfoComm**  
INTERNATIONAL



CUSTOM  
ELECTRONIC  
DESIGN &  
INSTALLATION  
ASSOCIATION  
Member



# Saker Tab-Tension Series

The Saker Tab-Tension Series includes a tab-tension system with MaxWhite FG material to maintain flatness all across the projection surface. Standard features include a wireless 5-12 volt trigger, IR/RF remotes control package, and a detachable manual keypad switch.

Scan for product



video



## Screen Material:

- MaxWhite Fiberglass 1.1 Gain
- 180° wide viewing angle
- Active 3D and 4K Ultra HD Ready
- Standard black masking borders and black backing
- Available in AcousticPro UHD Sound Transparent Material, 1.0 Gain, Moiré-free

## Design and Installation:

- Curved aluminum enamel white case with parallel grooves
- Mounting hardware kit included for wall or ceiling installation
- Extra top black masking border for high ceiling installations
- Tab-tension design helps maintain a flat projection surface
- Flush hidden wall mounts allow screen to slide horizontally for proper centering
- Plug & Play ready, no hardwire installation required

## Certified

- GREENGUARD® and GREENGUARD® Gold Certified UL | 2818

## Control System:

- Internal Radio Frequency/Infrared receivers with IR, RF remotes included
- Detachable 3-way wall switch keypad for UP/STOP/DOWN manual operation
- Wireless 5-12 volt trigger included
- RJ45 port allows 3rd party control system integration

## Quality and Reliability:

- Silent operation synchronous motor and low power consumption
- 2-year warranty from defects in workmanship
- 3-year warranty offered through ENR-G program (Education, Non-profit, Religious, and Government/Military)

**Saker Tab-Tension Series**

Model	Screen Diag. & Aspect Ratio	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	N.W. (lbs.)	G.W. (lbs.)	N.W. (kgs)	G.W. (Kgs)	Packaging Dimensions (LxHxW)	Gain	Screen Material	Case Color
SKT100XVW-E10	100" (4:3)	60.0	80.0	152.4	203.2	30.0	38.7	13.6	17.6	102.56"x6.3"x6.69"	1.1	MaxWhite FG	White
SKT120XVW-E9	120" (4:3)	72.0	96.0	182.9	243.8	36.8	45.7	16.7	20.7	122.1"x6.3"x6.69"	1.1	MaxWhite FG	White
SKT84XHW-E12	84"(16:9)	41.2	73.2	104.6	185.9	27.5	35.8	12.5	16.2	104.3"x6.3"x6.69"	1.1	MaxWhite FG	White
SKT92XHW-E24*	92"(16:9)	45.1	80.2	114.5	203.7	27.8	35.1	12.6	15.9	94.82"x6.3"x6.69"	1.1	MaxWhite FG	White
SKT100XHW-E12	100" (16:9)	49.1	87.2	124.7	221.5	31.2	39.9	14.2	18.1	110.4"x6.3"x6.69"	1.1	MaxWhite FG	White
SKT110XHW-E24	110" (16:9)	54.0	96.0	137.2	243.8	36.6	43.0	16.6	19.5	122.36"x6.3"x6.69"	1.1	MaxWhite FG	White
SKT120XHW-E20	120" (16:9)	58.9	104.6	149.6	265.7	36.5	45.9	16.5	20.8	130.31"x6.3"x6.69"	1.1	MaxWhite FG	White
SKT135XHW-E6	135" (16:9)	66.2	117.7	168.1	299.0	38.3	48.1	17.4	21.8	145.67"x6.3"x6.69"	1.1	MaxWhite FG	White
SKT106NXW-E12	106" (16:10)	56.2	89.9	142.7	228.3	29.5	37.9	13.4	17.2	114.29"x6.3"x6.69"	1.1	MaxWhite FG	White
SKT120NXW-E12	120" (16:10)	63.6	101.8	161.5	258.4	38.3	47.4	17.4	21.5	126.18"x6.3"x6.69"	1.1	MaxWhite FG	White
SKT100UH-E12-AUHD	100"(16:9)	49.1	87.2	124.7	221.5	28.0	36.3	12.7	16.5	111.97"x6.3"x6.69"	1.0	AcousticPro UHD	Black
SKT110UH-E12-AUHD	110"(16:9)	54.0	96.0	137.2	243.8	32.1	40.9	14.6	18.6	122.2"x6.3"x6.69"	1.0	AcousticPro UHD	Black
SKT120UH-E10-AUHD	120"(16:9)	58.9	104.6	149.6	265.7	34.4	43.4	15.6	19.7	131.3"x6.3"x6.69"	1.0	AcousticPro UHD	Black
SKT135UH-E12-AUHD	135" (16:9)	66.2	117.7	168.1	299.0	Please visit <a href="http://www.elitescreens.com">www.elitescreens.com</a>					1.0	AcousticPro UHD	Black

\*Only available in certain regions

**Saker Tab-Tension Series Dimensions Table**

Model Numbers	Screen Diag. & Aspect Ratio	Overall L. with Bracket (A)	View Width (A1)	End Cap Screw Hole Distance (A2)	Overall L. w/out Bracket (A3)	Ceiling Bracket Hole Distance (A4)	Screen Width (A5)	Weight Bar Length (A6)	L/R Border (A7)	Overall H. with Ceiling Bracket (B)	View Height (B1)	Screen Height (B2)	Top Black Masking (B3)	Bottom Black Masking (B4)	End cap H. w/ Bracket (B5)	End Cap W. w/ Bracket (C)	End Cap H. w/ Bracket (C1)	C2	C3
SKT100XVW-E10	100"(4:3)	2499	2032	2479	2453	1653	2272	2388	120	1946	1524	1838	254	60	100	102	108	35	23
SKT120XVW-E9	120"(4:3)	2951	2438	2931	2905	2105	2678	2840	120	2226	1829	2118	229	60	100	102	108	35	23
SKT84XHW-E12	84"(16:9)	2331	1860	2311	2285	1485	2060	2220	100	1519	1046	1411	305	60	100	102	108	35	23
SKT92XHW-E24*	92"(16:9)	2499	2037	2479	2453	1653	2237	2388	100	1924	1146	1816	610	60	100	102	108	35	23
SKT100XHW-E12	100"(16:9)	2686	2214	2666	2640	1840	2414	2575	100	1718	1245	1610	305	60	100	102	108	35	23
SKT110XHW-E24	110"(16:9)	2951	2435	2931	2905	2105	2675	2840	120	2148	1370	2040	610	60	100	102	108	35	23
SKT120XHW-E20	120"(16:9)	3171	2657	3151	3125	2325	2897	3060	120	2170	1494	2062	508	60	100	102	108	35	23
SKT106NXW-E12	106"(16:10)	2751	2283	2731	2705	1905	2483	2640	100	1900	1427	1792	305	60	100	102	108	35	23
SKT120NXW-E12	120"(16:10)	3096	2585	3076	3050	2250	2825	2985	120	2088	1615	1980	305	60	100	102	108	35	23
SKT100UH-E12-AUHD	100"(16:9)	2686	2214	2666	2640	1840	2414	2575	100	1718	1245	1610	305	60	100	102	108	35	23
SKT110UH-E12-AUHD	110"(16:9)	2951	2435	2931	2905	2105	2675	2840	120	1843	1370	1735	305	60	100	102	108	35	23
SKT120UH-E10-AUHD	120"(16:9)	3171	2657	3151	3125	2325	2897	3060	120	1916	1494	1808	254	60	100	102	108	35	23

Unit: mm

\*Only available in certain regions

Model Numbers	Screen Diag. & Aspect Ratio	Overall L. with Bracket (A)	View Width (A1)	End Cap Screw Hole Distance (A2)	Overall L. w/out Bracket (A3)	Ceiling Bracket Hole Distance (A4)	Screen Width (A5)	Weight Bar Length (A6)	L/R Border (A7)	Overall H. with Ceiling Bracket (B)	View Height (B1)	Screen Height (B2)	Top Black Masking (B3)	Bottom Black Masking (B4)	End cap H. w/ Bracket (B5)	End Cap W. w/ Bracket (C)	End Cap H. w/ Bracket (C1)	C2	C3
SKT100XVW-E10	100"(4:3)	98.4	80.0	97.6	96.6	65.1	89.4	94.0	4.7	76.6	60.0	72.4	10.0	2.4	3.9	4.0	4.3	1.4	0.9
SKT120XVW-E9	120"(4:3)	116.2	96.0	115.4	114.4	82.9	105.4	111.8	4.7	87.6	72.0	83.4	9.0	2.4	3.9	4.0	4.3	1.4	0.9
SKT84XHW-E12	84"(16:9)	91.8	73.2	91.0	90.0	58.5	81.1	87.4	3.9	59.8	41.2	55.6	12.0	2.4	3.9	4.0	4.3	1.4	0.9
SKT92XHW-E24*	92"(16:9)	98.4	80.2	97.6	96.6	65.1	88.1	94.0	3.9	75.7	45.1	71.5	24.0	2.4	3.9	4.0	4.3	1.4	0.9
SKT100XHW-E12	100"(16:9)	105.7	87.2	105.0	103.9	72.4	95.0	101.4	3.9	67.6	49.0	63.4	12.0	2.4	3.9	4.0	4.3	1.4	0.9
SKT110XHW-E24	110"(16:9)	116.2	95.9	115.4	114.4	82.9	105.3	111.8	4.7	84.6	53.9	80.3	24.0	2.4	3.9	4.0	4.3	1.4	0.9
SKT120XHW-E20	120"(16:9)	124.8	104.6	124.1	123.0	91.5	114.1	120.5	4.7	85.4	58.8	81.2	20.0	2.4	3.9	4.0	4.3	1.4	0.9
SKT106NXW-E12	106"(16:10)	108.3	89.9	107.5	106.5	75.0	97.8	103.9	3.9	74.8	56.2	70.6	12.0	2.4	3.9	4.0	4.3	1.4	0.9
SKT120NXW-E12	120"(16:10)	121.9	101.8	121.1	120.1	88.6	111.2	117.5	4.7	82.2	63.6	78.0	12.0	2.4	3.9	4.0	4.3	1.4	0.9
SKT100UH-E12-AUHD	100"(16:9)	105.7	87.2	105.0	103.9	72.4	95.0	101.4	3.9	67.6	49.0	63.4	12.0	2.4	3.9	4.0	4.3	1.4	0.9
SKT110UH-E12-AUHD	110"(16:9)	116.2	95.9	115.4	114.4	82.9	105.3	111.8	4.7	72.6	53.9	68.3	12.0	2.4	3.9	4.0	4.3	1.4	0.9
SKT120UH-E10-AUHD	120"(16:9)	124.8	104.6	124.1	123.0	91.5	114.1	120.5	4.7	75.4	58.8	71.2	10.0	2.4	3.9	4.0	4.3	1.4	0.9

Unit: inch

\*Only available in certain regions

**Saker Tab-Tension Series (135" and above) Dimensions Table**

Model Numbers	Screen Diag. & Aspect Ratio	Overall Length (A)	View W. (A1)	Distance Between Bracket Holes (A2)	Screen W. (A3)	Weight Bar L. (A4)	L/R Black Border (A5)	Overall H. w/ Ceiling Bracket (B)	View H. (B1)	Screen H. (B2)	Top Border (B3)	Bottom Border (B4)	End Cap H w/ Bracket (B5)	End Cap Width w/ Ceiling Bracket (C)	C1	C2	C3
SKT135XHW-E6	135"(16:9)	3486	2989	2686	3229	3421	120	2019	1681	1894	152	60	112	118	125	35	23
SKT135UH-E12-AUHD	135"(16:9)	3486	2989	2686	3229	3421	120	2171	1681	2046	305	60	112	118	125	35	23


Unit: mm

Model Numbers	Screen Diag. & Aspect Ratio	Overall Length (A)	View W. (A1)	Distance Between Bracket Holes (A2)	Screen W. (A3)	Weight Bar L. (A4)	L/R Black Border (A5)	Overall H. w/ Ceiling Bracket (B)	View H. (B1)	Screen H. (B2)	Top Border (B3)	Bottom Border (B4)	End Cap H w/ Bracket (B5)	End Cap Width w/ Ceiling Bracket (C)	C1	C2	C3
SKT135XHW-E6	135"(16:9)	137.2	117.7	105.7	127.1	134.7	4.7	79.5	66.2	74.6	6.0	2.4	4.4	4.6	4.9	1.4	0.9
SKT135UH-E12-AUHD	135"(16:9)	137.2	117.7	105.7	127.1	134.7	4.7	85.5	66.2	80.6	12.0	2.4	4.4	4.6	4.9	1.4	0.9

Unit: inch

### Saker Tab-Tension Series

**Note: Data Error ±1".** The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.



### Saker Tab-Tension Series (135" and above)

**Note: Data Error ±1".** The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.

