



## 2015 ezCinema Series Product Brochure

The ezCinema series is an ultra-portable screen that sets up easy using its detachable telescoping support bar hardware for residential or commercial presentations.



# ezCinema Series

Scan for product



video

The ezCinema series is an ultra-portable screen that sets up easy using its detachable telescoping support bar hardware for residential or commercial presentations.

- Easy to transport and set up for traveling presentations or the "Home Theater in A Box"
- Features a simple telescoping support mechanism to adjust screen height
- MaxWhite screen material is durable and easy to clean
- Wide projection viewing angle with 180° diffusion uniformity
- Built-in carrying handle for enhanced mobility
- Rugged aluminum casing protects the screen
- Includes 3/4" black top/side masking with adjustable bottom rise masking
- Available in different size and aspect ratios
- 2-Year manufacturer's premium replacement warranty

## Features

- MaxWhite 1.1 Gain material with standard black backing is durable and easy to clean
- Easy to transport and set up for traveling
- Features a simple telescoping support mechanism for variable height settings
- Solid rotating floor support feet provides added stability
- Wide projection viewing angle with 180° diffusion uniformity
- Built-in carrying handle for enhanced mobility
- Rugged aluminum casing protects the screen
- Black top/side masking with adjustable bottom rise masking
- Available in diagonal sizes from 56" - 100" in 4:3, 16:9 and 16:10 aspect ratio
- Large Venue Sizes 120", 135", 150" available in 4:3 and 16:9
- Optional carrying bag sold separately (up to 100")




## Support

- 60" - 84" = two feet
- 95" - 120" = one center foot
- 135" = three feet
- 150" = two feet




Elite's ezCinema Series is an Ultra-Portable screen that sets up quickly for residential or commercial presentations. Its Simple Telescoping Hardware Mechanism (STHM) provides an easy operation with variable height settings.



### MaxWhite Screen Material

The most versatile screen surface for front projection. This material provides unlimited viewing angles and perfect uniformity while giving precise color reproduction with black and white contrast. Screen Surface is durable for daily use, is mildew resistant and can be washed with mild soap and water.

PVC/Woven Screen Material, Multi-Layer, Cross-Array Layout, Coated with Matte White Optical Material that is Mildew Resistant.



Details of the telescope bracket hook support and variable height setting



Self-contained light weight Aluminum Casing with telescoping bar and travel case allows this screen to be easily transported, set up and taken down.

ezCinema Series, Screens pull up from case and attach to an adjustable telescoping bar with variable height settings with a keystone adjuster. Solid rotating floor supports provide added stability.



Begin your Presentation as easy as **1-2-3** (60" - 84" models shown here)



ezCinema (F100NWH)



Black Backed Screen Material blocks light penetration for a sharper image quality.

### ezCinema Series

Model	Screen Diag. & Aspect Ratio	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	N.W. (lbs.)	G.W. (lbs.)	N.W. (Kgs)	G.W. (Kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Aluminum Case Color	Support Mechanism
F60NWW	60"(4:3)	36.0	48.0	91.4	121.9	13.7	17.6	6.2	8.0	59"x6.5"x6.8"	1.1	MaxWhite	Black	Telescoping
F72NWW	72"(4:3)	43.2	57.6	109.7	146.3	15.4	19.8	7.0	9.0	68.9"x7"x6.5"	1.1	MaxWhite	Black	Telescoping
F84NWW	84"(4:3)	50.4	67.2	128.0	170.7	17.1	22.6	7.8	10.3	78.2"x7"x6.5"	1.1	MaxWhite	Black	Telescoping
F100NWW	100"(4:3)	60.0	80.0	152.4	203.2	19.7	25.4	9.0	11.6	91.3"x7"x6.5"	1.1	MaxWhite	Black	Telescoping
F120NWW	120"(4:3)	72.0	96.0	182.9	243.8	29.4	35.6	13.4	16.2	108.3"x7.5"x7.5"	1.1	MaxWhite	Black	Telescoping
F135NWW	135"(4:3)	81.0	108.0	205.7	274.3	40.0	52.0	18.2	23.6	119.8"x7.6"x8"	1.1	MaxWhite	Black	Telescoping
F150NWW	150"(4:3)	90.0	120.0	228.6	304.8	42.4	56.0	19.3	25.5	132"x7.6"x8"	1.1	MaxWhite	Black	Telescoping
F80NWH	80"(16:9)	39.4	70.0	100.1	177.8	16.9	22.7	7.7	10.3	80.9"x7"x6.5"	1.1	MaxWhite	Black	Telescoping
F84NWH	84"(16:9)	41.2	73.2	104.6	185.9	19.1	25.0	8.7	11.4	83.9"x7"x6.5"	1.1	MaxWhite	Black	Telescoping
F100NWH	100"(16:9)	49.0	87.2	124.5	221.5	20.1	26.6	9.1	12.1	98.1"x7"x6.5"	1.1	MaxWhite	Black	Telescoping
F120NWH	120"(16:9)	59.1	105.0	150.1	266.7	34.2	46.3	15.6	21.1	116.7"x7.6"x7.4"	1.1	MaxWhite	Black	Telescoping
F135NWH	135"(16:9)	66.2	117.7	168.1	299.0	40.5	48.5	18.4	22.1	130"x7.6"x8"	1.1	MaxWhite	Black	Telescoping
F150NWH	150"(16:9)	73.6	130.7	186.9	332.0	44.5	53.1	20.2	24.2	142.7"x7.6"x8"	1.1	MaxWhite	Black	Telescoping
F56NWX	56"(16:10)	30.0	48.0	76.2	121.9	14.5	17.1	6.6	7.8	59.06"x6.69"x6.69"	1.1	MaxWhite	Black	Telescoping
F68NWX	68"(16:10)	36.0	57.6	91.4	146.3	11.4	19.1	5.2	8.7	68.94"x7.09"x6.70"	1.1	MaxWhite	Black	Telescoping
F80NWX	80"(16:10)	42.0	67.2	106.7	170.7	15.5	21.7	7.1	9.8	78"x6.7"x7.10"	1.1	MaxWhite	Black	Telescoping
F95NWX	95"(16:10)	50.0	80.0	127.0	203.2	18.0	25.9	8.2	11.7	91.1"x6.7"x7.10"	1.1	MaxWhite	Black	Telescoping



**ezCinema Dimensions Table**

Model	Screen Diag. & Aspect Ratio	Case L (A)	View W (A1)	Screen W (A2)	A3	Overall H (B)	View H (B1)	Screen H (B2)	B3	End Cap W (C)	C1	C2	End Cap H (D)	Minimum Height (E)	F	G
F60NWV	60"(4:3)	1410	1219	1295	1380	1944	914	1849	915	118	400	180	95	1290	198	80
F72NWV	72"(4:3)	1661	1463	1539	1631	2127	1097	2032	915	118	400	180	95	1290	324	80
F84NWV	84"(4:3)	1891	1707	1783	1861	2310	1280	2215	915	118	400	180	95	1590	246	80
F100NWV	100"(4:3)	2224	2032	2108	2194	2594	1524	2459	915	118	500	180	95	1620	1087	50
F120NWV	120"(4:3)	2629	2438	2514	2599	3077	1829	2937	1093	126	500	190	100	1980	1290	50
F135NWV	135"(4:3)	2925	2743	2819	2895	3305	2057	3165	1093	126	500	190	100	1980	408	50
F150NWV	150"(4:3)	3235	3048	3124	3205	3407	2286	3267	966	126	500	190	100	1980	720	50
F80NWH	80"(16:9)	1958	1771	1847	1928	2026	996	1931	915	118	400	180	95	1290	285	80
F84NWH	84"(16:9)	2041	1860	1936	2011	2076	1046	1981	915	118	400	180	95	1290	230	80
F100NWH	100"(16:9)	2401	2214	2290	2371	2315	1245	2180	915	118	500	180	95	1620	1176	50
F120NWH	120"(16:9)	2845	2657	2733	2815	2742	1494	2602	1093	126	500	190	100	1980	1398	50
F135NWH	135"(16:9)	3177	2989	3065	3147	2929	1681	2789	1093	126	500	190	100	1980	464	50
F150NWH	150"(16:9)	3510	3321	3397	3480	3115	1867	2975	1093	126	500	190	100	1980	722	50
F56NWX	56"(16:10)	1410	1219	1295	1380	1792	762	1697	915	118	400	180	95	1290	198	80
F68NWX	68"(16:10)	1661	1463	1539	1631	1944	914	1849	915	118	400	180	95	1290	324	80
F80NWX	80"(16:10)	1891	1707	1783	1861	2097	1067	2002	915	118	400	180	95	1290	246	50
F95NWX	95"(16:10)	2224	2032	2108	2194	2340	1270	2205	915	118	500	180	95	1620	1087	50

Unit: mm

Model	Screen Diag. & Aspect Ratio	Case L (A)	View W (A1)	Screen W (A2)	A3	Overall H (B)	View H (B1)	Screen H (B2)	B3	End Cap W (C)	C1	C2	End Cap H (D)	Minimum Height (E)	F	G
F60NWV	60"(4:3)	55.5	48.0	51.0	54.3	76.6	36.0	73.0	36.0	4.6	15.7	7.1	3.7	50.8	7.8	3.1
F72NWV	72"(4:3)	65.4	57.6	60.6	64.2	83.8	43.2	71.2	36.0	4.6	15.7	7.1	3.7	50.8	12.7	3.1
F84NWV	84"(4:3)	74.4	67.2	70.2	73.3	91.0	50.4	77.4	36.0	4.6	15.7	7.1	3.7	62.6	9.7	3.1
F100NWV	100"(4:3)	87.6	80.0	83.0	86.4	102.1	60.0	80.0	36.0	4.6	19.7	7.1	3.7	63.8	42.8	2.0
F120NWV	120"(4:3)	103.5	96.0	99.0	102.3	121.1	72.0	95.0	43.0	5.0	19.7	7.5	3.9	78.0	50.8	2.0
F135NWV	135"(4:3)	115.2	108.0	111.0	114.0	130.1	81.0	104.0	43.0	5.0	19.7	7.5	3.9	78.0	16.0	2.0
F150NWV	150"(4:3)	127.4	120.0	123.0	126.2	134.1	90.0	113.0	38.0	5.0	19.7	7.5	3.9	78.0	28.3	2.0
F80NWH	80"(16:9)	77.1	69.7	72.7	75.9	79.8	39.2	74.2	36.0	4.6	15.7	7.1	3.7	50.8	11.2	3.1
F84NWH	84"(16:9)	80.4	73.2	76.2	79.2	81.8	41.2	76.2	36.0	4.6	15.7	7.1	3.7	50.8	9.1	3.1
F100NWH	100"(16:9)	94.5	87.2	90.2	93.3	91.1	49.0	77.0	36.0	4.6	19.7	7.1	3.7	63.8	46.3	2.0
F120NWH	120"(16:9)	112.0	104.6	107.6	110.8	107.9	58.8	81.8	43.0	5.0	19.7	7.5	3.9	78.0	55.0	2.0
F135NWH	135"(16:9)	125.1	117.7	120.7	123.9	115.3	66.2	89.2	43.0	5.0	19.7	7.5	3.9	78.0	18.2	2.0
F150NWH	150"(16:9)	138.2	130.7	133.7	137.0	122.6	73.5	96.5	43.0	5.0	19.7	7.5	3.9	78.0	28.4	2.0
F56NWX	56"(16:10)	55.5	48.0	51.0	54.3	70.6	73.5	96.5	36.0	4.6	15.7	7.1	3.7	50.8	7.8	3.1
F68NWX	68"(16:10)	65.4	57.6	60.6	64.2	76.5	73.5	96.5	36.0	4.6	15.7	7.1	3.7	50.8	12.7	3.1
F80NWX	80"(16:10)	74.4	67.2	70.2	73.3	82.6	73.5	96.5	36.0	4.6	15.7	7.1	3.7	50.8	9.7	2.0
F95NWX	95"(16:10)	87.6	80.0	83.0	86.4	92.1	73.5	96.5	36.0	4.6	19.7	7.1	3.7	63.8	42.8	2.0

Unit: inch

**Note: Data Error ±1".** The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.

